

Catalogue **2013**



ALUMINIUM





Our thirty-year strong experience in designing and manufacturing aluminium casting dies as well as equally long presence in the aluminium casting industry represent the solid foundation on which **DURALITE S.r.l.** is built.

Why not apply this vast experience even to the lighting technology?

Our painstaking product research, design and full development within the company are our key to modern and state of the art articles we propose, capable of meeting any requirements in the residential and urban design industry.

Each and every piece is the fruit of constant market research and continuous improvement. Our perfect knowledge of the characteristics of the various materials to be used is the propelling force behind our ability to produce complete series of articles of different aesthetic and technological configurations capable of competing at international level and perfectly adapting to the ever-varying market we operate in today.

ECO-FRIENDLY

DURALITE S.r.l. always pays good attention to the environment protection. All items are realized according to all the regulation in force and in compliance with European Standards.

DURALITE S.r.l. is constantly looking forward to improve its production efficiency by minimizing consumptions and pollution and by promoting a correct eco-behaviour. In addition, thanks to DURALITE's adhesion to RAECYCLE, the lighting fixtures producers consortium with European regulation ROHS/RAEE, **DURALITE S.r.l.** is engaged in a campaign to suitably manage waste.



... AND NOW DURALITE LIGHTS UP YOUR LIFE...

DURALITE - ALUMINIUM



Aluminium is a material suitable for any shape and style. It is characterized by the fact of being a light material, but resistant and robust at the same time. Each **aluminium** item produced by DURALITE S.r.l. is painted in thermosetting polyester powder.

ISOLATION CLASS

0	Functional isolation without earth devices.
I	Functional isolation with terminal or cable complete with conductor for earth.
II 	Double isolation or reinforced isolation without earth devices.
III 	For connection at very low voltage. With no other internal or external circuits operating at voltages different from the very low safety voltage.

PROTECTION DEGREE IP

"IP" indicates the degree of protection against penetration of dust, solid bodies and humidity.

IP 23	Protected against penetration of solid bodies $\varnothing \geq 12$ mm and protected against rain.
IP 40	Protected against penetration of solid bodies $\varnothing \geq 1$ mm
IP 43	Protected against penetration of solid bodies $\varnothing \geq 1$ mm and against rain.
IP 44	Protected against penetration of solid bodies $\varnothing \geq 1$ mm and against water sprays.
IP 54	Protected against penetration of dust and against water sprays.
IP 55	Protected against penetration of dust and against water jets.
IP 65	Sealed against penetration of dust and protected against water jets.
IP 67	Sealed against penetration of dust and protected against extensive quantity of water.

COLORS



BLACK (**BLK**)



WHITE (**WHT**)



ANTHRACITE (**ANT**)



METAL-SILVER (**MTL-SLV**)



GUN-METAL (**GUN-MTL**)

AVAILABLE HAND SHADED COLORS:



BLACK-RUST (**BLK-RST**)



BLACK-GREEN (**BLK-GRN**)



BLACK-SILVER (**BLK-SLV**)



BLACK-GOLD (**BLK-GLD**)



WHITE-GOLD (**WHT-GLD**)

SYMBOLS



Fixture suitable for installation on normally inflammable surfaces



UV-stabilized material. Anti-yellowing



In compliance with EEC standards



Made in material which is resistant to vandalism acts




Fixture in recycling material




Energy saving fixture




LANTERN - RESIDENTIAL LIGHTING

											
A. 1780/STA p. 14	A. 1780/SPA p. 14	A. 1780/S p. 15	A. 1780/LE p. 15	A. 1780/P110 p. 16	A. 1780/P191/3/F5 p. 17	A. 588/STL p. 18	A. 588/SPL p. 18	A. 588/LE p. 19	A. 588/P191/3/F6 p. 21	A. 587/STL p. 23	A. 587/SPL p. 23
											
A. 587/LE p. 24	A. 587/P191/3/F6 p. 25	A. 9002/STP p. 26	A. 9002/SPP p. 26	A. 9002/S p. 27	A. 9002/LE p. 27	A. 9002/P110 p. 28	A. 9002/P108 p. 28	A. 9002/P190/3/F8SR p. 29	A. 0107/ST/20 p. 30	A. 0107/STN/25 p. 30	A. 0107/ST/20/2 p. 31
											
A. 0107/LE/25 p. 32	A. 0107/P035/25 p. 32	A. 0107/P108/25 p. 33	A. 0107/P110/25 p. 35	A. 0107/P190/30/1 p. 36	A. 0107/P191/25/3+1/B60 p. 37	ANDROMEDA/WB p. 38	ANDROMEDA/P110L p. 39	ANDROMEDA/P185/1 p. 40	ANDROMEDA/P185/3/F5 p. 41	A. 1998/WB p. 42	A. 1998/A p. 42
											
A. 1998/L p. 43	A. 1998/P110L p. 43	A. 1998/P185/1 p. 44	A. 1998/P191/3/F5 p. 45	A. 9005/WB p. 46	A. 9005/P110L p. 47	A. 9005/P185/1 p. 48	A. 9005/P185/3/F5 p. 49				

LANTERN - URBAN LIGHTING

								
A. 0107GIG/P12B/40/1 p. 52	A. 0107GIG/P12/B24/40 p. 53	A. 0107GIG/B24 p. 53	A. 677GIG/P12B/1 p. 54	A. 677GIG/B11 p. 55	LAMPARA/AL45/B25 p. 56	LAMPARA/B25 p. 57	D. 50-MILANO/AL30/1 p. 58	D. 50-MILANO/B11 p. 59

LIGHT-UP

						
35009 p. 62	35029 p. 62	35015 p. 62	35030 p. 63	35008 p. 63	35021 p. 63	35024 p. 63

TURTLE-CUBE

	
TURTLE p. 64	CUBE p. 65

ALPHA LED


ALPHA LED p. 67



RESIDENTIAL LIGHTING

LANTERN

LANTERN - RESIDENTIAL LIGHTING



code: A.1780/STA

OUTDOOR LIGHTING FIXTURE FOR WALL FIXING

DESCRIPTION: lantern and arm in die-cast aluminium complete with base for installation on the wall, glass diffuser, stainless steel screws.
Painting in thermosetting polyester powder
Fixing kit included

APPLICATIONS: garden, balcony, porch, court

COLORS: black, white, anthracite, gun-metal, metal-silver
available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.1780/STA	380 x 700 x 265	E27 - max 60W	0,055



code: A.1780/SPA

OUTDOOR LIGHTING FIXTURE FOR WALL FIXING

DESCRIPTION: lantern and arm in die-cast aluminium complete with base for installation on the wall, glass diffuser, stainless steel screws.
Painting in thermosetting polyester powder
Fixing kit included


APPLICATIONS: garden, balcony, porch, court

COLORS: black, white, anthracite, gun-metal, metal-silver
available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.1780/SPA	380 x 700 x 265	E27 - max 60W	0,055



LANTERN - RESIDENTIAL LIGHTING



code: A.1780/S


OUTDOOR LIGHTING FIXTURE FOR CEILING FIXING

DESCRIPTION: lantern in die-cast aluminium with iron chain and cup for ceiling fixing, glass diffuser, stainless steel screws.
Painting in thermosetting polyester powder

APPLICATIONS: porch, court

COLORS: black, white, anthracite, gun-metal, metal-silver
available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.1780/S	265 x 1150	E27 - max 60W	0,055



code: A.1780/LE

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern and base in die-cast aluminium, glass diffuser, stainless steel screws.

Painting in thermosetting polyester powder

Fixing kit included


APPLICATIONS garden, balcony, small pillar

COLORS: black, white, anthracite, gun-metal, metal-silver
available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.1780/LE	265 x 625	E27 - max 60W	0,055



LANTERN - RESIDENTIAL LIGHTING



code: A.1780/P110

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern and post in die-cast aluminium, glass diffuser, stainless steel screws.

Painting in thermosetting polyester powder

Fixing kit included


APPLICATIONS: garden, balcony, court, alley

COLORS: black, white, anthracite, gun-metal, metal-silver
available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.1780/P110	265 x 1500	E27 - max 60W	0,15



LANTERN - RESIDENTIAL LIGHTING



code: A.1780/P191/3/F5

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern and arm in die-cast aluminium, post in die-cast aluminium and extruded aluminium, glass diffuser, stainless steel screws.
 Painting in thermosetting polyester powder
 Fixing kit included
 Available on request with 2 lights


APPLICATIONS: garden, balcony, court, alley, small square, shopping area

COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.1780/P191/3/F5	800 x 2430	E27 - max 60W	0,30



LANTERN - RESIDENTIAL LIGHTING



code: A.588/STL


OUTDOOR LIGHTING FIXTURE FOR WALL FIXING

DESCRIPTION: lantern and arm in die-cast aluminium complete with base for installation on the wall, diffuser in PC anti-UV rain effect, stainless steel screws. Painting in thermosetting polyester powder

APPLICATIONS: garden, balcony, porch, court

COLORS: black, white, anthracite, gun-metal, metal-silver
available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.588/STL	280 x 500 x 240	E27 - max 60W	0,03



code: A.588/SPL

OUTDOOR LIGHTING FIXTURE FOR WALL FIXING

DESCRIPTION: lantern and arm in die-cast aluminium complete with base for installation on the wall, diffuser in PC anti-UV rain effect, stainless steel screws. Painting in thermosetting polyester powder

APPLICATIONS: garden, balcony, porch, court

COLORS: black, white, anthracite, gun-metal, metal-silver
available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.588/SPL	280 x 500 x 240	E27 - max 60W	0,03





LANTERN - RESIDENTIAL LIGHTING




code: A.588/LE

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern and base in die-cast aluminium, diffuser in PC anti-UV rain effect, stainless steel screws.
 Painting in thermosetting polyester powder
 Fixing kit included

APPLICATIONS: garden, balcony, small pillar

COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver



Code	Dimensions (mm)	Lamp	Volume (m³)
A.588/LE	240 x 630	E27 - max 60W	0,03


COLORS:

WHITE BLACK ANTHRACITE GUN-METAL METAL-SILVER

IP 44 ⚡ F U.V. CE ♻️ eS



LANTERN - RESIDENTIAL LIGHTING



code: A.588/P191/3/F6

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern and arm in die-cast aluminium, post in die-cast aluminium and extruded aluminium, diffuser in PC anti-UV rain effect, stainless steel screws.

Painting in thermosetting polyester powder

Fixing kit included

Available on request with 2 lights

APPLICATIONS: garden, balcony, court, alley, small square, shopping area


COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.588/P191/3/F6	650 x 2400	E27 - max 60W	0,30





LANTERN - RESIDENTIAL LIGHTING



code: A.587/STL

OUTDOOR LIGHTING FIXTURE FOR WALL FIXING


DESCRIPTION: lantern and arm in die-cast aluminium complete with base for installation on the wall, diffuser in PC anti-UV rain effect, stainless steel screws. Painting in thermosetting polyester powder

APPLICATIONS: garden, balcony, porch, court

COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.587/STL	280 x 500 x 240	E27 - max 60W	0,03

COLORS:



code: A.587/SPL

OUTDOOR LIGHTING FIXTURE FOR WALL FIXING

DESCRIPTION: lantern and arm in die-cast aluminium complete with base for installation on the wall, diffuser in PC anti-UV rain effect, stainless steel screws. Painting in thermosetting polyester powder

APPLICATIONS: garden, balcony, porch, court

COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.587/SPL	280 x 500 x 240	E27 - max 60W	0,03

COLORS:





LANTERN - RESIDENTIAL LIGHTING



code: A.587/LE

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING


DESCRIPTION: lantern and base in die-cast aluminium, diffuser in PC anti-UV rain effect, stainless steel screws.

Painting in thermosetting polyester powder

Fixing kit included

APPLICATIONS: garden, balcony, small pillar

COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver




Code	Dimensions (mm)	Lamp	Volume (m ³)
A.587/LE	240 x 630	E27 - max 60W	0,03





LANTERN - RESIDENTIAL LIGHTING



code: A.587/P191/3/F6

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern and arm in die-cast aluminium, post in die-cast aluminium and extruded aluminium, diffuser in PC anti-UV rain effect, stainless steel screws.

Painting in thermosetting polyester powder

Fixing kit included

Available on request with 2 lights

APPLICATIONS: garden, balcony, court, alley, small square, shopping area


COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.587/P191/3/F6	650 x 2400	E27 - max 60W	0,30

COLORS:

WHITE BLACK ANTHRACITE GUN-METAL METAL-SILVER

LANTERN - RESIDENTIAL LIGHTING



code: A.9002/STP

OUTDOOR LIGHTING FIXTURE FOR WALL FIXING


DESCRIPTION: lantern and arm in die-cast aluminium complete with base for installation on the wall, diffuser in PC anti-UV, stainless steel screws.
Painting in thermosetting polyester powder
Available on request with copper lid

APPLICATIONS: garden, balcony, porch, court

COLORS: black with copper lid
total black
available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.9002/STP	300 x 470 x 250	E27 - max 60W	0,04

COLORS:



code: A.9002/SPP

OUTDOOR LIGHTING FIXTURE FOR WALL FIXING

DESCRIPTION: lantern and arm in die-cast aluminium complete with base for installation on the wall, diffuser in PC anti-UV, stainless steel screws.
Painting in thermosetting polyester powder
Available on request with copper lid

APPLICATIONS: garden, balcony, porch, court


COLORS: black with copper lid
total black
available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.9002/SPP	300 x 470 x 250	E27 - max 60W	0,04

COLORS:



LANTERN - RESIDENTIAL LIGHTING



code: A.9002/S

OUTDOOR LIGHTING FIXTURE FOR CEILING FIXING


DESCRIPTION: lantern in die-cast aluminium with iron chain and cup for ceiling fixing, diffuser in PC anti-UV, stainless steel screws.
Painting in thermosetting polyester powder
Available on request with copper lid

APPLICATIONS: porch, court

COLORS: black with copper lid
total black
available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.9002/S	250 x 1000	E27 - max 60W	0,04

COLORS:



code: A.9002/LE

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern and base in die-cast aluminium, diffuser in PC anti-UV, stainless steel screws.
Painting in thermosetting polyester powder
Fixing kit included
Available on request with copper lid

APPLICATIONS: garden, balcony, small pillar


COLORS: black with copper lid
total black
available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.9002/LE	250 x 545	E27 - max 60W	0,04

COLORS:



LANTERN - RESIDENTIAL LIGHTING



code: A.9002/P110

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern and post in die-cast aluminium, diffuser in PC anti-UV, stainless steel screws.

Painting in thermosetting polyester powder

Fixing kit included

Available on request with copper lid

APPLICATIONS: garden, balcony, court, alley

COLORS: black with copper lid

total black

available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.9002/P110	250 x 1500	E27 - max 60W	0,10

COLORS:



code: A.9002/P108

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern and post in die-cast aluminium, diffuser in PC anti-UV, stainless steel screws.

Painting in thermosetting polyester powder

Fixing kit included

Available on request with copper lid

APPLICATIONS: garden, balcony, court, alley

COLORS: black with copper lid

total black


available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.9002/P108	250 x 1200	E27 - max 60W	0,08

COLORS:



LANTERN - RESIDENTIAL LIGHTING



code: A.9002/P190/3/F8SR

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern and arm in die-cast aluminium, post in die-cast aluminium, diffuser in PC anti-UV, stainless steel screws.

Painting in thermosetting polyester powder

Fixing kit included

Available on request with copper lid

Available on request with 2 lights

APPLICATIONS: garden, balcony, court, alley, small square, shopping area

COLORS: black with copper lid

total black


available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.9002/P190/3/F8SR	550 x 2270	E27 - max 60W	0,25

COLORS:



LANTERN - RESIDENTIAL LIGHTING



code: A.0107/ST/20

OUTDOOR LIGHTING FIXTURE FOR WALL FIXING


DESCRIPTION: arm in die-cast aluminium complete with base for installation on the wall, globe in PMMA Ø 20 cm, stainless steel screws.
 Painting in thermosetting polyester powder

APPLICATIONS: garden, balcony, porch, court

COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver
 opal globe

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.0107/ST/20	285 x 330 x 200	E27 - max 60W	0,020

COLORS:



code: A.0107/STN/25

OUTDOOR LIGHTING FIXTURE FOR WALL FIXING

DESCRIPTION: arm in die-cast aluminium complete with base for installation on the wall, globe in PMMA Ø 25 cm, stainless steel screws.
 Painting in thermosetting polyester powder

APPLICATIONS: garden, balcony, porch, court

COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver
 opal globe

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.0107/STN/25	320 x 435 x 250	E27 - max 60W	0,025

COLORS:



LANTERN - RESIDENTIAL LIGHTING




code: A.0107/ST/20/2

OUTDOOR LIGHTING FIXTURE FOR WALL FIXING

DESCRIPTION: arm in die-cast aluminium complete with base for installation on the wall, globe in PMMA Ø 20 cm, stainless steel screws.
 Painting in thermosetting polyester powder

APPLICATIONS: garden, balcony, porch, court


COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver
 opal globe



Code	Dimensions (mm)	Lamp	Volume (m ³)
A.0107/ST/20/2	470 x 330	E27 - max 60W	0,035



LANTERN - RESIDENTIAL LIGHTING



code: A.0107/LE/25

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: base in die-cast aluminium with globe in PMMA Ø 25 cm, stainless steel screws.


Painting in thermosetting polyester powder

Fixing kit included

APPLICATIONS: garden, balcony, small pillar

COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver
 opal globe

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.0107/LE/25	250 x 450	E27 - max 60W	0,025



code: A.0107/P035/25

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: post in die-cast aluminium with globe in PMMA Ø 25 cm, stainless steel screws.

Painting in thermosetting polyester powder


APPLICATIONS: garden, balcony, court, alley

COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver
 opal globe

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.0107/P035/25	250 x 650	E27 - max 60W	0,025



LANTERN - RESIDENTIAL LIGHTING



code: A.0107/P108/25

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: post in die-cast aluminium with globe in PMMA Ø 25 cm, stainless steel screws.

Painting in thermosetting polyester powder

Fixing kit included

APPLICATIONS: garden, balcony, court, alley


COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver
 opal globe

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.0107/P108/25	250 x 1000	E27 - max 60W	0,09





LANTERN - RESIDENTIAL LIGHTING



code: A.0107/P110/25

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: post in die-cast aluminium with globe in PMMA Ø 25 cm, stainless steel screws.

Painting in thermosetting polyester powder

Fixing kit included

APPLICATIONS: garden, balcony, court, alley


COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver
 opal globe

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.0107/P110/25	250 x 1355	E27 - max 60W	0,09





LANTERN - RESIDENTIAL LIGHTING



code: A.0107/P190/30/1

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: post in die-cast aluminium and extruded aluminium with globe in PMMA Ø 30 cm, stainless steel screws.

Painting in thermosetting polyester powder

Fixing kit included


APPLICATIONS: garden, balcony, court, alley, small square, shopping area

COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver
 opal globe

Code	Dimensions (mm)	Lamp	Volume (m ³) 
A.0107/P190/30/1	300 x 2300	E27 - max 100W	0,15



LANTERN - RESIDENTIAL LIGHTING



code: A.0107/P191/25/3+1/B60

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: arm in die-cast aluminium, post in die-cast aluminium and extruded aluminium, globe in PMMA Ø 25 cm, stainless steel screws.

Painting in thermosetting polyester powder

Fixing kit included

Available on request with 3 lights

APPLICATIONS: garden, balcony, court, alley, small square, shopping area

COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver
 opal globe

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.0107/P191/25/3+1/B60	810 x 2500	E27 - max 60W	0,3



LANTERN - RESIDENTIAL LIGHTING




code: ANDROMEDA/WB

OUTDOOR LIGHTING FIXTURE FOR WALL FIXING

DESCRIPTION: lantern and arm in die-cast aluminium complete with base for installation on the wall, diffuser in PC anti-UV, stainless steel screws. Painting in thermosetting polyester powder

APPLICATIONS: garden, balcony, porch, court

COLORS: black, white, anthracite, gun-metal, metal-silver
available hand shaded colors in rust, green, gold, silver




Code	Dimensions (mm)	Lamp	Volume (m ³)
ANDROMEDA/WB	390 x 480 x 370	E27 - max 60W	0,055





LANTERN - RESIDENTIAL LIGHTING



code: ANDROMEDA/P110L

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern in die-cast aluminium, post in die-cast aluminium and extruded aluminium, diffuser in PC anti-UV, stainless steel screws.
 Painting in thermosetting polyester powder
 Fixing kit included

APPLICATIONS: garden, balcony, court, alley

COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver


Code	Dimensions (mm)	Lamp	Volume (m ³)
ANDROMEDA/P110L	370 x 1350	E27 - max 60W	0,09

COLORS:

WHITE BLACK ANTHRACITE GUN-METAL METAL-SILVER



LANTERN - RESIDENTIAL LIGHTING



code: ANDROMEDA/P185/1

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern in die-cast aluminium, post in die-cast aluminium and extruded aluminium, diffuser in PC anti-UV, stainless steel screws.
Painting in thermosetting polyester powder
Fixing kit included



APPLICATIONS: garden, balcony, court, alley, small square, shopping area

COLORS: black, white, anthracite, gun-metal, metal-silver
available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
ANDROMEDA/P185/1	370 x 2150	E27 - max 60W	0,15



LANTERN - RESIDENTIAL LIGHTING



code: ANDROMEDA/P185/3/F5

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern in die-cast aluminium, post in die-cast aluminium and extruded aluminium, diffuser in PC anti-UV, stainless steel screws.
 Painting in thermosetting polyester powder
 Fixing kit included


APPLICATIONS: garden, balcony, court, alley, small square, shopping area

COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
ANDROMEDA/P185/3/F5	740 x 2250	E27 - max 60W	0,25



LANTERN - RESIDENTIAL LIGHTING



code: A.1998/WB

OUTDOOR LIGHTING FIXTURE FOR WALL FIXING


DESCRIPTION: lantern and arm in die-cast aluminium complete with base for installation on the wall, diffuser in PC anti-UV, stainless steel screws. Painting in thermosetting polyester powder

APPLICATIONS: garden, balcony, porch, court

COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.1998/WB	315 x 390 x 250	E27 - max 60W	0,025

COLORS:



code: A.1998/A

OUTDOOR LIGHTING FIXTURE FOR WALL FIXING

DESCRIPTION: lantern in die-cast aluminium complete with base for installation on the wall, diffuser in PC anti-UV, stainless steel screws. Painting in thermosetting polyester powder

APPLICATIONS: garden, balcony, porch, court

COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.1998/A	175 x 260 x 250	E27 - max 60W	0,020

COLORS:



LANTERN - RESIDENTIAL LIGHTING

code: A.1998/L

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING


DESCRIPTION: lantern and base in die-cast aluminium, diffuser in PC anti-UV, stainless steel screws.

Painting in thermosetting polyester powder

Fixing kit included


APPLICATIONS: garden, balcony, small pillar

COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver



Code	Dimensions (mm)	Lamp	Volume (m ³)
A.1998/L	250 x 470	E27 - max 60W	0,03

COLORS:



code: A.1998/P110L

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern in die-cast aluminium, post in die-cast aluminium and extruded aluminium, diffuser in PC anti-UV, stainless steel screws.

Painting in thermosetting polyester powder

Fixing kit included

APPLICATIONS: garden, balcony, court, alley

COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver


Code	Dimensions (mm)	Lamp	Volume (m ³)
A.1998/P110L	250 x 1170	E27 - max 60W	0,09

COLORS:





LANTERN - RESIDENTIAL LIGHTING



code: A.1998/P185/1

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern in die-cast aluminium, post in die-cast aluminium and extruded aluminium, diffuser in PC anti-UV, stainless steel screws.
 Painting in thermosetting polyester powder
 Fixing kit included

APPLICATIONS: garden, balcony, court, alley, small square, shopping area


COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³) 
A.1998/P185/1	250 x 2150	E27 - max 60W	0,10





LANTERN - RESIDENTIAL LIGHTING



code: A.1998/P191/3/F5

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern and arm in die-cast aluminium, post in die-cast aluminium and extruded aluminium, diffuser in PC anti-UV, stainless steel screws.
 Painting in thermosetting polyester powder
 Fixing kit included
 Available on request with 2 lights

APPLICATIONS: garden, balcony, court, alley, small square, shopping area

COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³) 
A.1998/P191/3/F5	700 x 2300	E27 - max 60W	0,25

COLORS:



WHITE BLACK ANTHRACITE GUN-METAL METAL-SILVER



LANTERN - RESIDENTIAL LIGHTING




code: A.9005/WB

OUTDOOR LIGHTING FIXTURE FOR WALL FIXING

DESCRIPTION: lantern and arm in die-cast aluminium complete with base for installation on the wall, diffuser in PC anti-UV, stainless steel screws.
 Painting in thermosetting polyester powder

APPLICATIONS: garden, balcony, porch, court


COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver



Code	Dimensions (mm)	Lamp	Volume (m ³)
A.9005/WB	370 x 450 x 330	E27 - max 60W	0,025



LANTERN - RESIDENTIAL LIGHTING



code: A.9005/P110L

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern in die-cast aluminium, post in die-cast aluminium and extruded aluminium, diffuser in PC anti-UV, stainless steel screws.
 Painting in thermosetting polyester powder
 Fixing kit included

APPLICATIONS: garden, balcony, court, alley


COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.9005/P110L	330 x 1280	E27 - max 60W	0,09





LANTERN - RESIDENTIAL LIGHTING



code: A.9005/P185/1

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern in die-cast aluminium, post in die-cast aluminium and extruded aluminium, diffuser in PC anti-UV, stainless steel screws.
 Painting in thermosetting polyester powder
 Fixing kit included


APPLICATIONS: garden, balcony, court, alley, small square, shopping area

COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³) 
A.9005/P185/1	330 x 2220	E27 - max 60W	0,10



LANTERN - RESIDENTIAL LIGHTING



code: A.9005/P185/3/F5

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern and arm in die-cast aluminium, post in die-cast aluminium and extruded aluminium, diffuser in PC anti-UV, stainless steel screws.
 Painting in thermosetting polyester powder
 Fixing kit included
 Available on request with 2 lights

APPLICATIONS: garden, balcony, court, alley, small square, shopping area

COLORS: black, white, anthracite, gun-metal, metal-silver
 available hand shaded colors in rust, green, gold, silver

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.9005/P185/3/F5	830 x 2250	E27 - max 60W	0,25






URBAN LIGHTING
LANTERN



LANTERN - URBAN LIGHTING



code: A.0107GIG/P12B/40/1

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: post in aluminium alloy and extruded aluminium with globe in PMMA Ø 40 cm, stainless steel screws.

Screws kit for fixing the post to the ground included

Painting in thermosetting polyester powder

APPLICATIONS: garden, court, alley, square, shopping area

COLORS: black, anthracite with opal globe

Code	Dimensions (mm)	Lamp	Volume (m ³) 
A.0107GIG/P12B/40/1	400 x 3250	E27 - max 100W	0,60

COLORS:



LANTERN - URBAN LIGHTING



code: A.0107GIG/P12/B24/40

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: post in aluminium alloy and extruded aluminium, decorative arm in extruded aluminium, globe in PMMA Ø 40 cm, stainless steel screws.
Screws kit for fixing the post to the ground included
Painting in thermosetting polyester powder

APPLICATIONS: garden, court, alley, square, shopping area

COLORS: black, anthracite with opal globe

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.0107GIG/P12/B24/40	850 x 3400	E27 - max 100W	0,70

COLORS:




code: A.0107GIG/B24

OUTDOOR LIGHTING FIXTURE FOR WALL FIXING

DESCRIPTION: decorative wall arm in extruded aluminium with globe in PMMA Ø 40 cm, stainless steel screws.
Painting in thermosetting polyester powder

APPLICATIONS: garden, porch, court, alley, square, shopping area

COLORS: black, anthracite with opal globe




Code	Dimensions (mm)	Lamp	Volume (m ³)
A.0107GIG/B24	950 x 1100	E27 - max 100W	0,30

COLORS:



LANTERN - URBAN LIGHTING



code: A.677GIG/P12B/1

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern in die-cast aluminium with tempered glass diffuser for wiring compartment under the lid, post in aluminium alloy and extruded aluminium, stainless steel screws.

Screws kit for fixing the post to the ground included
 Painting in thermosetting polyester powder

APPLICATIONS: garden, court, alley, square, shopping area

COLORS: black, anthracite

Code	Dimensions (mm)	Lamp	Volume (m ³)
A.677GIG/P12B/1	450 x 3800	E27 - max 100W (available on request MH-SON 70W)	0,75 

COLORS:





LANTERN - URBAN LIGHTING



code: A.677GIG/B11


OUTDOOR LIGHTING FIXTURE FOR WALL FIXING

DESCRIPTION: lantern in die-cast aluminium with tempered glass diffuser for wiring compartment under the lid, decorative arm in aluminium alloy, stainless steel screws.

Painting in thermosetting polyester powder

APPLICATIONS: garden, porch, court, alley, square, shopping area



COLORS: black, anthracite



Code	Dimensions (mm)	Lamp	Volume (m ³)
A.677GIG/B11	860 x 1200	E27 - max 100W (available on request MH-SON 70W)	1 



LANTERN - URBAN LIGHTING



code: LAMPARA/AL45/B25

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING


DESCRIPTION: conic anodized aluminium post corrosion resistant with decorative aluminium alloy arm and fisher lantern (Lampara), diffuser in polycarbonate anti-UV, stainless steel screws.

Fixing kit included

APPLICATIONS: garden, court, alley, square, shopping area

COLOR: black with opal/transparent cone

Code	Dimensions (mm)	Lamp	Volume (m ³)
LAMPARA/AL45/B25	1150 x 5700	E27 - max 100W (available on request MH-SON 70W)	1,00 





COLOR:



BLACK



LANTERN - URBAN LIGHTING



code: LAMPARA/B25

OUTDOOR LIGHTING FIXTURE FOR WALL FIXING

DESCRIPTION: decorative arm and fisher lantern (Lampara) in aluminium alloy, diffuser in polycarbonate anti-UV, stainless steel screws. Painting in thermosetting polyester powder

APPLICATIONS: garden, porch, court, alley, square, shopping area

COLOR: black with opal/transparent cone

Code	Dimensions (mm)	Lamp	Volume (m ³)
LAMPARA/B25	1150 x 1780	E27 - max 100W (available on request MH - SON 70W)	0,60



COLOR:



BLACK



LANTERN - URBAN LIGHTING



code: D. 50-MILANO/AL30/1

OUTDOOR LIGHTING FIXTURE FOR GROUND FIXING

DESCRIPTION: lantern in composite material "Duralighting" with transparent or opal diffuser in polycarbonate anti-UV, conic anodized aluminium post corrosion resistant, stainless steel screws.
Fixing kit included

APPLICATIONS: garden, court, alley, square, shopping area

COLOR: black

Code	Dimensions (mm)	Lamp	Volume (m ³)
D. 50-MILANO/AL30/1	330 x 3600	E27 - max 100W (available on request MH-SON 70W)	0,35



COLOR:



BLACK





LANTERN - URBAN LIGHTING




code: D. 50-MILANO/B11

OUTDOOR LIGHTING FIXTURE FOR WALL FIXING

DESCRIPTION: lantern in composite material "Duralighting" with transparent or opal diffuser in polycarbonate anti-UV, decorative arm in aluminium alloy painted in thermosetting polyester powder, stainless steel screws.

APPLICATIONS: garden, porch, court, alley, square, shopping area

COLOR: black



Code	Dimensions (mm)	Lamp	Volume (m ³)
D.50-MILANO/B11	850 x 1000	E27 - max 100W (available on request MH-SON 70W)	0,25 

COLOR:

 BLACK



**LIGHT-UP
TURTLE
CUBE**

ALPHA LED



LIGHT-UP

RECESSED LIGHTING FIXTURE FOR FLOOR OR GROUND FIXING

DESCRIPTION: body in die-cast aluminium with recessed box in reinforced thermoplastic, outer frame in stainless steel 4 mm, diffuser in tempered glass 10 mm, silyconic rubber gasket, reflector in polished aluminium
 Static weight allowed: kg 2.000, maximum velocity of drive-over speed 25 Km/h




APPLICATIONS: garden, court, alley, porch

code: 35009 - Ø 100




h(m)	Eavg(lx)	Emax(lx)	D(m)
1	390,7	554,4	0,6
2	97,67	138,6	1,21
3	43,41	61,6	1,81
4	24,42	34,65	2,41
5	15,63	22,18	3,01

code: 35029 - Ø 130



h(m)	Eavg(lx)	Emax(lx)	D(m)
1	362,7	542,6	0,65
2	90,67	135,6	1,3
3	40,3	60,28	1,96
4	22,67	33,91	2,61
5	14,51	21,7	3,26

code: 35015 - Ø 140






h(m)	Eavg(lx)	Emax(lx)	D(m)
1	360,4	543,6	0,34
2	90,11	135,9	0,67
3	40,05	60,4	1,01
4	22,53	33,98	1,34
5	14,42	21,74	1,68

Code	Dimensions (mm)	Lamp	Volume (m ³)
35009	102 x 160 x 102	GU 10 - HALOGEN 50W (lamp included)	0,002
35029	133 x 172 x 130	LED 3 x 1W (220-230 V transformer included)	0,003
35015	135 x 156 x 140	GU 10 - HALOGEN 50W	0,003







code: 35030 - Ø 180




h(m)	Eavg(lx)	E _{max} (lx)	D(m)
1	834,6	1224	0,48
2	208,7	305,9	0,97
3	92,74	136	1,45
4	52,16	76,48	1,93
5	33,39	48,95	2,42

code: 35008 - Ø 220





h(m)	Eavg(lx)	E _{max} (lx)	D(m)
1	139,1	177,1	1,68
2	34,78	44,28	3,35
3	15,46	19,68	5,03
4	8,694	11,07	6,7
5	5,564	7,085	8,38

code: 35021 - Ø 300



h(m)	Eavg(lx)	E _{max} (lx)	D(m)
1	2791	5209	1,32
2	697,8	1302	2,63
3	310,1	578,8	3,95
4	174,4	325,6	5,26
5	11,6	208,4	6,58

code: 35024 - Ø 440



h(m)	Eavg(lx)	E _{max} (lx)	D(m)
1	4500	7868	1,28
2	1125	1967	2,55
3	500	874,3	3,83
4	281,3	491,8	5,1
5	180	314,7	6,38

Code	Dimensions (mm)	Lamp	Volume (m ³) 
35030	180 x 251 x 184	LED 9 x 1W	0,01
35008	213 x 285 x 220	E27 - max 100W	0,015
35021	290 x 357 x 300	Rx7s - HM 150W	0,03
35024	422 x 558 x 440	Rx7s - HM 150W	0,1





TURTLE




code: TURTLE

SPOTLIGHT FOR WALL FIXING

DESCRIPTION: body in die-cast aluminium and extruded aluminium with double light complete with base for installation on the wall, transparent glass diffuser

APPLICATIONS: garden, court, alley, porch

COLOR: silver



Code	Dimensions (mm)	Lamp	Volume (m ³)
TURTLE	225 x 340	E27 - HALOGEN 2 x 100W PAR 30 2 x 75W	0,008





CUBE




code: CUBE

SPOTLIGHT FOR WALL FIXING

DESCRIPTION: body in die-cast aluminium complete with base for installation on the wall, transparent glass diffuser

APPLICATIONS: garden, court, alley, porch

COLOR: silver



Code	Dimensions (mm)	Lamp	Volume (m ³)
CUBE	180 x 150	R7s - 150W	0,005

COLOR:





SILVER





ALPHA LED

NEW RANGE INDOOR LED



code: ALPHA LED

INSIDE RECESSED LIGHTING FIXTURE FOR CEILING USE

DESCRIPTION: body in die-cast aluminium painted in thermosetting polyester powder, diffuser in PMMA with LED 25W

TECHNICAL INFORMATION:

High power LED Bridgelux 25W
 compact high flux density light source
 uniform high quality illumination
 instant light with unlimited dimming
 long operating life
 easy to use with daylight and motion detectors to enable increased energy saving
 low costs of maintenance
 environmentally friendly
 the body structure is adapted to guarantee the heat loss

APPLICATIONS: restaurant, living room, residential home, shopping center, showroom

COLORS: white or metal-silver frame

Color	ANSI CCT	CRI	Typical Luminous Flux Øv T..... 60°C	Minimum Luminous Flux Øv T _j = 25°C	Typical Luminous Flux Øv T _j = 25°C ¹	Test Current (mA) ²
Warm White	2700 K	80	1650 lm	1650 lm	1840 lm	700 mA
Cool White	4000 K	80	2000 lm	2000 lm	2200 lm	700 mA

FRAME COLORS:





DURALITE SELLS ALL OVER THE WORLD

SALE CONDITIONS AND RESPONSIBILITY

- All prices are ex-works, unless otherwise agreed above.
- The order will be accepted after a written confirmation of the proforma invoice.
- The cancellation of order can be accepted only within 24 hours from the confirmation of proforma invoice.
- Transport or delivery by any means are at buyer's own risk.
The company will not be liable for any damages after goods delivery to the carrier or the consigner, even if freight fees are included in the sale price.
- All DURALITE products are strictly inspected before delivery and they are guaranteed against production defects in compliance with European safety standards for 2 years.
- The company will judge from time to time its responsibility and in case of responsibility it will proceed to the replacement.
- The faulty pieces will be given back to DURALITE company at customer's expenses.
- The warranty doesn't cover the costs of transport, uninstallation, reinstallation.
- DURALITE S.r.l. company will not be liable for any damages arising from incorrect installation, misuse or use with components of other products.
- For any controversy, the court of Brescia (Italy) will have exclusive jurisdiction .

All DURALITE S.r.l. products are produced in compliance with European safety standards

The DURALITE S.r.l. reserves the right to make improvements to the products described in this catalogue without giving prior notice